AXS-C01^{Q&As}

AWS Certified Alexa Skill Builder - Specialty (AXS-C01)

Pass Amazon AXS-C01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/aws-certified-alexa-skill-builder-specialty.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Amazon
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

An Amazon Alexa skill fetches data for users from a third-party API and the wait for the response from that call is variable, often taking up to 5 seconds. What is the recommended method for notifying users that a skill is working on the request and has not failed to respond?

A. Prefetch the data that is expected to the required by the skill from the third-party API using Amazon CloudWatch Events.

B. Call the Progressive Response API and send a directive, such as VoicePlayer.Speak

C. Ask a follow-up question for clarification to engage the user while waiting for the initially requested response.

D. Respond to the user stating that the data will be ready soon, and upon the next launch of the skill, provide the user with the response they initially requested.

Correct Answer: B

Reference: https://developer.amazon.com/en-US/docs/alexa/custom-skills/send-the-user-a-progressive-response.html

QUESTION 2

An Alexa Skill Builder wants to customize a welcome back message for each person who uses the skill. The JSON input is shown below: Which element from the request would the Builder use to accomplish this?

```
{
    "version": "1.0",
    "session": {
        "new": true,
        "sessionId": "amzn1.echo-api.session.001",
        "application": {
            "applicationId": "amzn1.ask.skill.001
    },
    "user": {
        "userId": "amzn1.ask.account.001"
    }
},
"context": {
    "AudioPlayer": {
        "playerActivity": "IDLE"
    },
    "Display": {},
    "System": {
        "application": {
            "applicationId": "amzn1.ask.skill.001"
        },
        "user": {
            "userId": "amzn1.ask.account.001"
        },
        "device": {
            "deviceId": "amzn1.ask.device.001",
            "supportedInterfaces": {
                "AudioPlayer": {},
                "Display": {
                    "templateVersion": "1.0",
                    "markupVersion": "1.0"
                }
            }
        }
    },
    "apiEndpoint": "https://api.amazonalexa.com",
    "apiAccessToken": "001"
    }
},
"request": {
    "type": "LaunchRequest",
    "requestId": "amzn1.echo-api.request.001",
    "timestamp": "2018-03-21T16:37:27Z",
    "locale": "en-US",
    "shouldLinkResultBeReturned": false
    }
}
```

A. sessionId

B. userId

C. requestId

D. applicationId

Correct Answer: A

QUESTION 3

An Alexa Skill Builder receives feedback from users that a specific utterance causes Amazon Alexa to trigger the skill\\'s AMAZON.HelpIntent rather than triggering the correct intent and slot. How can the Builder reproduce this behavior to troubleshoot the problem?

A. Use the AWS Lambda test feature to send a request with the given intent and slot combination.

B. Set up a unit test in the code base to simulate what happens when the given intent and slot combination are dispatched within the skill.

C. Use the Manual JSON tab on the Test page of the developer console to see what happens when a request for the given intent and slot combination is sent to the skill

D. Use the Alexa Simulator tab on the Test page of the developer console to test the utterances the users have reported.

Correct Answer: B

QUESTION 4

An Alexa Skill Builder is developing a custom skill and needs to verify that the correct slot values are being passed into the AWS Lambda function. According to best practices, what is the MOST efficient way to capture this information?

A. Add a logging statement to write the event request to Amazon CloudWatch Logs.

B. Add an API call to write the environment variables to an Amazon S3 bucket when the function is invoked.

C. Add an API call to read the event information from AWS Cloud Trail logs and add a PutObject API call to write to an Amazon S3 bucket.

D. Add a statement to parse the JSON request and save to the local disk for the Lambda function

Correct Answer: D

Reference: https://developer.amazon.com/en-US/docs/alexa/custom-skills/validate-slot-values.html

QUESTION 5

An Alexa Skill Builder has created a taxi hiring skill. The skill needs to find out when the customer wants a taxi, where the customer is traveling from, and where the customer wants to go. The Builder is currently asking each question

individually, in the following order:

"Where do you want to take a taxi from" "Where do you want to take a taxi to" "When do you need a taxi"

To ensure the voice interaction is flexible, how should this information be gathered regardless of the order in which the user provides it?

A. Use a single intent and slot. Inspect the incoming slot value and categorize then response, then prompt for the remaining information.

B. Create an intent for each question and include slots for each piece of information on every intent

C. Create three intents with one slot each. Use Dialog.ElicitSlot to fill the slots.

D. Create a single intent with three slots. Use the Dialog.Delegate directive to fill the slots.

Correct Answer: D

QUESTION 6

An Alexa Skill Builder is developing a custom skill to play a live audio stream. What two built-in intents are required to implement the AudioPlayer interface?

A. AMAZON.NextIntent and AMAZON.StopIntent

B. AMAZON.ResumeIntent and AMAZON.PauseIntent

C. AMAZON.CancelIntent and AMAZON.ResumeIntent

D. AMAZON.RepeatIntent and AMAZON.StopIntent

Correct Answer: B

Reference: https://developer.amazon.com/en-US/docs/alexa/custom-skills/audioplayer-interface-reference.html

QUESTION 7

An Alexa Skill Builder is creating a skill that will identify an actor who spoke a famous piece of movie dialog, given just the dialog text and an optional movie name. The Builder created the FindActorIntent as shown below, but Amazon Alexa returns an error when it builds the model.

```
{
    "intents": [
        {
            "name": "FindActorIntent",
            "slots": [
                {
                    "name": "Dialog",
                    "type": "AMAZON.SearchQuery"
                },
                {
                    "name": "Movielist",
                    "type": "AMAZON.Movie"
                }
            ],
            "samples": [
                "who said {Dialog} in {MovieList}",
                "which actor said {Dialog}",
                "search for {Dialog}",
                "who said {Dialog}"
            ]
        }
    ]
}
```

Why is Alexa failing to build the model?

A. Intents can have one built-in slot type only

B. All sample utterances within an intent should have both slots

C. SearchQuery is combined with another intent slot in an utterance.

D. "Dialog" is a reserved keyword in the Alexa Interaction Model schema.

Correct Answer: C

Reference: https://forums.developer.amazon.com/questions/112932/got-error-code-invalidintentsamplephraseslot.html

QUESTION 8

An Amazon Alexa interactive story skill needs to provide users with the option to resume the skill from where users left off when they last used the skill. Where should the data be stored to ensure that the skill will start at the correct location?

A. In a JSON file along with the skill\\'s AWS Lambda function

B. In Amazon DynamoDB

C. In the skill\\\'s session object

D. In the skills\\\'s request object

Correct Answer: C

Reference: https://developer.amazon.com/en-US/docs/alexa/in-skill-purchase/add-isps-to-a-skill.html

QUESTION 9

An Alexa Skill Builder built a skill using AWS Lambda. The Lambda function works when running the code on a local machine with a runtime of 4.5 seconds, but during skill testing, the Builder receives an error response. Which collection of steps will address the issue? (Choose two.)

A. Change the Amazon Alexa default timeout to 5 seconds.

B. Change the default timeout of the Lambda function to 5 seconds.

C. Call the Progressive Response API and send a directive to reduce latency.

D. Increase the size of the memory allocated to the Lambda function.

E. Clone the Lambda function to another AWS Region.

Correct Answer: BE

QUESTION 10

An Alexa Skill Builder needs to set up an Amazon Alexa skill beta test. What user identifier should be used to add beta testers?

A. AWS account number

B. Alexa user email address

C. Amazon vendor ID

D. Amazon customer ID

Correct Answer: B

Reference: https://developer.amazon.com/en-US/docs/alexa/custom-skills/skills-beta-testing-for-alexa-skills.html

QUESTION 11

During testing of a new Amazon Alexa skill, the skill is repeatedly failing and invoking the function defined in the addErrorHandler method specified on the SkillBuilder object. Upon inspection of Amazon CloudWatch Logs, the Alexa Skill Builder establishes that the failure is occurring whenever AMAZON.HelpIntent is being received.

How should this error be corrected?

A. AMAZON.HelpIntent should be handled by the SDK. The Builder should raise a support ticket with Amazon.

B. The Builder should ensure that the intent handler is coded so that it tests for AMAZON.HelpIntent in its canHandle method, and when detected, returns true.

C. The Builder should add logic to provide help instructions to the function defined in the addErrorHandler method specified on the SkillBuilder object.

D. The Builder should add an AMAZON.HelpIntent entry to the interaction model to ensure the request for help is recognized by the skill.

Correct Answer: B

QUESTION 12

An Alexa Skill Builder is developing a skill that enables users to purchase train tickets. The Builder wants to give users the ability to modify the departure time if they are misunderstood, before the skill proceeds to purchase the tickets. Which option should be used to implement this functionality within the session?

A. Implement AMAZON.FallbackIntent so the user can stop the execution when they have been misunderstood.

B. Implement AMAZON.StopIntent so the user can stop the execution and implement reprompt with a new invocation of the skill.

C. Implement AMAZON.CancelIntent so the user can cancel the order, then set shouldEndSession to false, and prompt the user for the next action.

D. Implement the welcome message, providing clear instructions to the user describing how to format an order.

Correct Answer: C

QUESTION 13

An Alexa Skill Builder adds a colleague to a skill using the beta test feature. The colleague logs in to the developer console to edit the interaction model and cannot see the skill. Why is this happening?

A. The colleague needs the ROLE_ADMINISTRATOR enablement.

B. The skill was not submitted for publishing.

C. The colleague was not made an administrator in the beta test tool.

D. The colleague has not been added to the skill\\'s developer account.

Correct Answer: C

Reference: https://developer.amazon.com/en-US/docs/alexa/custom-skills/skills-beta-testing-for-alexa-skills.html

[AXS-C01 Practice Test](#)   [AXS-C01 Exam Questions](#)   [AXS-C01 Braindumps](#)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: